


ARTIKELNR/ ARTICLE NO. EB15126			
MÄRKSTRÖM/ CURRENT RATING 32 A			
MEASURING EQUIPMENT			
CURR- TRAFO- SPACE	ENERGY- METER- SPACE		
FAST ANSLUTNING/ FIXED CONNECTIONS			
<125A	>125A		
CEE-OUTLETS 3-POLE/230V			
16A	32A	63A	125A
SCHUKO OUTLETS 2-POLE/230V 16A			
CEE-OUTLETS 5-POLE/400V			
16A	32A	63A	125A
JFB/RCCB			
<0,03A	>0,3A	>0,03A & <0,3A	
JFB/RCCB Variable			
VIKT/WEIGHT 50 kg			

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

TF 18EL EBS



RITAD AV/DRAWN BY CG	DATUM/DATE 200506	NEXT SHEET 2	SHEET 1
SIGN	REVISION/ISSUE A*	RITINGS NR./DRAWING EB15126	



ARTIKELNR /
ARTICLE NO.
EB15126

MÄRKSTRÖM /
CURRENT RATING
32 A

MEASURING
EQUIPMENT

CURR- TRAFO- SPACE	ENERGY- METER- SPACE
--------------------------	----------------------------

FAST ANSLUTNING /
FIXED CONNECTIONS

<125A	>125A
-------	-------

CEE-OUTLETS
3-POLE/230V

16A	32A	63A	125A
-----	-----	-----	------

SCHUKO OUTLETS
2-POLE/230V

16A

CEE-OUTLETS
5-POLE/400V

16A	32A	63A	125A
-----	-----	-----	------

JFB/RCCB

<0,03A	>0,3A	>0,03A & <0,3A
--------	-------	----------------------

JFB/RCCB
Variable

VIKT/WEIGHT
50 kg

- | | | |
|--------|----------|----------|
| 1-2 1C | 1-2 1D | 1-2 2E |
| 3-4 1C | 3-4 1D | 3-4 2F |
| 5-6 1C | 5-6 1D | 5-6 |
| 13-14 | 13-14 2B | 13-14 2B |

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

TF 18EL EBS



RITAD AV/DRAWN BY CG	DATUM/DATE 200506	NEXT SHEET 3	SHEET 2
SIGN	REVISION/ISSUE A*	RITINGS NR./DRAWING EB15126	

A	B	C	D	E	F	G	H	J	K
PC.	Position	Description	Type	Manufacturer	Data	Article No.	E-number(SE)		ARTIKELNR/ ARTICLE NO. EB15126
1	E01	Over Heating Protection	NT-4B2 CM	Comprimé Components	65°	269077			MÄRKSTRÖM/ CURRENT RATING 32 A
1	E02	Termostat	8 - 32 °C	E.G.O.		55.13002.490			MEASURING EQUIPMENT
2	F01-F02	MCB	iC60H 3P 10kA	Schneider Electric	C 16A	A9F07316	2112254		CURR- TRAFO- SPACE
1	F03	MCB	iC60H 2P 10kA	Schneider Electric	C 6A	A9F07206	2112149		ENERGY- METER- SPACE
3	K01-K03	Contactora	LC1K0910M7	Schneider Electric	9A, 240VAC	LC1K0910M7	3230624		FAST ANSLUTNING/ FIXED CONNECTIONS
6	R	Heating Element		Backer	3000W / 230V	51853801			<125A >125A
1	R01	Resistor	47kOhm	Elfa		301-55-398			CEE-OUTLETS 3-POLE/230V
1	R02	Resistor	19,1kOhm	Elfa		301-55-296			16A 32A 63A 125A
2	S01-S02	Switch	XB4BD33	Schneider Electric	3 modes, 2NO	XB4BD33	3732626		SCHUKO OUTLETS 2-POLE/230V 16A
2	S02	Contact	On the switch	Schneider Electric	1NO	ZBE101	3733195		CEE-OUTLETS 5-POLE/400V
1	X00	Inlet	432BU6	ABB	32A, 400V, IP44	2CMA193451R1000	2417347		16A 32A 63A 125A
3	X01	Terminal	Grey	Schneider Electric	6mm ²	NSYTRV62	2916271		JFB/RCCB
1		Terminal	Blue	Schneider Electric	6mm ²	NSYTRV62BL	2916272		<0,03A >0,3A >0,03A & <0,3A
1		Terminal	Yellow/Green	Schneider Electric	6mm ²	NSYTRV62PE	2916274		JFB/RCCB Variable
1	X03	Contact	4-Pol, Female	Wago		770-704/009-000			VIKT/WEIGHT
1		Contact	4-Pol, Male	Wago		770-714			50 kg
1	X04	Contact	3-Pol, Female	Wago		770-703/009-000			
1		Contact	3-Pol, Male	Wago		770-713			

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

TF 18EL EBS



RITAD AV/DRAWN BY
CG

DATUM/DATE
200506

NEXT SHEET
3

SIGN

REVISION/ISSUE
A*

RITINGS NR./DRAWING
EB15126