



A B C D E F G H J K



500



275

850

ARTIKELNR./
ARTICLE NO.
EB15528

MÄRKSTRÖM/
CURRENT RATING
250 A

SPÄNNING/
VOLTAGE
400 V

MEASURING
EQUIPMENT
CURR.-
TRAFO-
SPACE ENERGY-
METER-
SPACE

FAST ANSLUTNING/
FIXED CONNECTIONS
<125A >125A
1

CEE-OUTLETS
3-POLE
16A 32A 63A 125A

SCHUKO OUTLETS
16A
1

CEE-OUTLETS
4-POLE
16A 32A 63A 125A

CEE-OUTLETS
5-POLE/400V
16A 32A 63A 125A
1

JFB/RCD/RCBO
0,01A 0,03A 0,1A
1

JFB/RCD/RCBO
0,3A 0,5A Variable

VIKT/WEIGHT
30 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

FSF 250BCS/01/101-1 EN













RITAD AV/DRAWN BY
CG DATUM/DATE
210123

SIGN REVISION/ISSUE
A*

NEXT SHEET SHEET
2 1

RITNING NR./DRAWING
EB15528



AL/CU 95-240mm²

AL/CU 95-240mm²

SCHUKO

CEE 432-6

ARTIKELNR./ ARTICLE NO. EB15528	
MÄRKSTRÖM/ CURRENT RATING	250 A
SPÄNNING/ VOLTAGE	400 V
MEASURING EQUIPMENT	
CURR.- TRAFO- SPACE	ENERGY- METER- SPACE
FAST ANSLUTNING/ FIXED CONNECTIONS	
<125A	>125A
1	
CEE-OUTLETS 3-POLE	
16A	32A 63A 125A
1	
SCHUKO OUTLETS	
16A	
1	
CEE-OUTLETS 4-POLE	
16A	32A 63A 125A
1	
CEE-OUTLETS 5-POLE/400V	
16A	32A 63A 125A
1	
JFB/RCD/RBBO	0,01A 0,03A 0,1A
1	
JFB/RCD/RBBO	0,3A 0,5A Variable
VIKT/WEIGHT	
30 kg	

This drawing is property of EI-Björn. May not be copied, shown or distributed without our written permission.

FSF 250BCS/01/101-1 EN



RITAD AV/DRAWN BY CG	DATUM/DATE 210123
SIGN	REVISION/ISSUE A*

NEXT SHEET 3	SHEET 2
RITNING NR./DRAWING EB15528	

