







A B C D E F G H J K




ARTIKELNR / ARTICLE NO. <b>EB10436</b>	
MÄRKSTRÖM / CURRENT RATING <b>32</b>	<b>A</b>
SPÄNNING / VOLTAGE <b>400</b>	<b>V</b>
MEASURING EQUIPMENT	
CURR- TRAFO- SPACE	ENERGY- METER- SPACE
FAST ANSLUTNING / FIXED CONNECTIONS	
<125A <b>1</b>	>125A
CEE-OUTLETS 3-POLE	
16A	32A 63A 125A
SCHUKO OUTLETS	
16A <b>2</b>	
CEE-OUTLETS 4-POLE	
16A	32A 63A 125A
CEE-OUTLETS 5-POLE/400V	
16A	32A 63A 125A <b>1</b>
JFB/RCD/RCBO	
0,01A	0,03A 0,1A
JFB/RCD/RCBO	
0,3A	0,5A Variable
VIKT/WEIGHT	
<b>3,5</b> kg	

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

U 32BI/1/201Term



RITAD AV/DRAWN BY <b>CG</b>	DATUM/DATE <b>181228</b>	NEXT SHEET <b>2</b>	SHEET <b>1</b>
SIGN	REVISION/ISSUE <b>B</b>	RITINGS NR./DRAWING <b>EB10436</b>	



ARTIKELNR / ARTICLE NO.		EB10436	
MÄRKSTRÖM / CURRENT RATING		32	A
SPÄNNING / VOLTAGE		400	V
MEASURING EQUIPMENT			
CURR- TRAFO- SPACE	ENERGY- METER- SPACE		
FAST ANSLUTNING / FIXED CONNECTIONS			
<125A	>125A		
1			
CEE-OUTLETS 3-POLE			
16A	32A	63A	125A
SCHUKO OUTLETS			
16A			
2			
CEE-OUTLETS 4-POLE			
16A	32A	63A	125A
CEE-OUTLETS 5-POLE/400V			
16A	32A	63A	125A
1			
JFB/RCD/RCBO		0,01A	0,03A
JFB/RCD/RCBO		0,3A	0,5A
JFB/RCD/RCBO		0,3A	Variable
VIKT/WEIGHT			
3,5 kg			

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

U 32BI/1/201Term



RITAD AV/DRAWN BY	DATUM/DATE	NEXT SHEET	SHEET
CG	181228	3	2
SIGN	REVISION/ISSUE	RITINGS NR./DRAWING	
	B	EB10436	

A	B	C	D	E	F	G	H	J	K		
PC.	Position	Description	Type	Manufacturer	Data	Article No.	E-number(SE)	ARTIKELNR / ARTICLE NO. <b>EB10436</b>			
1	-	Kapsling	Bodintagslåda III	El-Björn	430 x 356 x 148			MÄRKSTRÖM/ CURRENT RATING <b>32 A</b>			
1	E01	Termostat	5 °C	E.G.O.		55.13302.270		SPÄNNING/ VOLTAGE <b>400 V</b>			
1	H06	Signallampa	TB010 FLOUR 230V	OEM electronics	LINS SD3 GRÖN	TB010		MEASURING EQUIPMENT			
1	X00	Intag	432BU6	ABB	32A, 400V, IP44	2CMA193451R1000	2417347	CURR- TRAFO- SPACE	ENERGY- METER- SPACE		
1	X01	Uttag	432RU6	ABB	32A, 400V, IP44	2CMA192658R1000	2416660				
1	X02	Kopplingsplint	EKS525	Eldon	4 x 1,5 - 25mm <sup>2</sup>	EKS525	2251130	FAST ANSLUTNING/ FIXED CONNECTIONS			
2	X03, X05	Radplint	NSYTRV42	Schneider Electric	4mm <sup>2</sup> , Grå	NSYTRV42	2916254	<125A	>125A		
2		Radplint	NSYTRV42BL	Schneider Electric	4mm <sup>2</sup> , Blå	NSYTRV42BL	2916255				
2		Radplint	NSYTRV42PE	Schneider Electric	4mm <sup>2</sup> , Gul/Grön	NSYTRV42PE	2916257	1			
2	X04, X06	Schukouttag	Typ F	Mennekes	230V, 16A, IP54	11020EB		CEE-OUTLETS 3-POLE			
								16A	32A	63A	125A
								SCHUKO OUTLETS			
								16A			
								2			
								CEE-OUTLETS 4-POLE			
								16A	32A	63A	125A
								CEE-OUTLETS 5-POLE/400V			
								16A	32A	63A	125A
								1			
								JFB/RCD/RCBO			
								0,01A	0,03A	0,1A	
								JFB/RCD/RCBO			
								0,3A	0,5A	Variable	
								VIKT/WEIGHT			
								3,5 kg			

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

U 32BI/1/201Term



RITAD AV/DRAWN BY <b>CG</b>	DATUM/DATE <b>181228</b>	NEXT SHEET	SHEET <b>3</b>
SIGN	REVISION/ISSUE <b>B</b>	RITINGS NR./DRAWING <b>EB10436</b>	