







A B C D E F G H J K




ARTIKELNR / ARTICLE NO.		EB10789	
MÄRKSTRÖM / CURRENT RATING		32	A
SPÄNNING / VOLTAGE		400	V
MEASURING EQUIPMENT			
CURR- TRAFO- SPACE	ENERGY- METER- SPACE		
FAST ANSLUTNING / FIXED CONNECTIONS			
<125A	>125A		
1			
CEE-OUTLETS 3-POLE			
16A	32A	63A	125A
SCHUKO OUTLETS			
16A			
2			
CEE-OUTLETS 4-POLE			
16A	32A	63A	125A
CEE-OUTLETS 5-POLE/400V			
16A	32A	63A	125A
1			
JFB/RCD/RCBO			
0,01A	0,03A	0,1A	
JFB/RCD/RCBO			
0,3A	0,5A	Variable	
VIKT/WEIGHT			
3,5 kg			

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

U 32BI/1/201



RITAD AV/DRAWN BY	DATUM/DATE	NEXT SHEET	SHEET
CG	181228	2	1
SIGN	REVISION/ISSUE	RITNING NR./DRAWING	
	B	EB10789	



ARTIKELNR / ARTICLE NO.		EB10789	
MÄRKSTRÖM / CURRENT RATING		32	A
SPÄNNING / VOLTAGE		400	V
MEASURING EQUIPMENT			
CURR- TRAFO- SPACE	ENERGY- METER- SPACE		
FAST ANSLUTNING / FIXED CONNECTIONS			
<125A	>125A		
1			
CEE-OUTLETS 3-POLE			
16A	32A	63A	125A
SCHUKO OUTLETS			
16A			
2			
CEE-OUTLETS 4-POLE			
16A	32A	63A	125A
CEE-OUTLETS 5-POLE/400V			
16A	32A	63A	125A
1			
JFB/RCD/RCBO		0,01A	0,03A
JFB/RCD/RCBO		0,3A	0,5A
JFB/RCD/RCBO		0,1A	Variable
VIKT/WEIGHT			
3,5 kg			

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

U 32BI/1/201



RITAD AV/DRAWN BY	DATUM/DATE	NEXT SHEET	SHEET
CG	181228	3	2
SIGN	REVISION/ISSUE	RITNING NR./DRAWING	
	B	EB10789	

A	B	C	D	E	F	G	H	J	K		
PC.	Position	Description	Type	Manufacturer	Data	Article No.	E-number(SE)	ARTIKELNR / ARTICLE NO. EB10789			
1	-	Kapsling	Bodintagslåda III	El-Björn	430 x 356 x 148			MÄRKSTRÖM/ CURRENT RATING 32 A			
1	X00	Intag	432BU6	ABB	32A, 400V, IP44	2CMA193451R1000	2417347	SPÄNNING/ VOLTAGE 400 V			
1	X01	Uttag	432RU6	ABB	32A, 400V, IP44	2CMA192658R1000	2416660	MEASURING EQUIPMENT			
1	X02	Kopplingsplint	EKS525	Eldon	4 x 1,5 - 25mm ²	EKS525	2251130	CURR- TRAFO- SPACE	ENERGY- METER- SPACE		
1	X03	Radplint	NSYTRV42	Schneider Electric	4mm ² , Grå	NSYTRV42	2916254	FAST ANSLUTNING/ FIXED CONNECTIONS			
1		Radplint	NSYTRV42BL	Schneider Electric	4mm ² , Blå	NSYTRV42BL	2916255	<125A	>125A		
1		Radplint	NSYTRV42PE	Schneider Electric	4mm ² , Gul/Grön	NSYTRV42PE	2916257	1			
2	X04	Schukouttag	Typ F	Mennekes	230V, 16A, IP54	11020EB		CEE-OUTLETS 3-POLE			
								16A	32A	63A	125A
								SCHUKO OUTLETS			
								16A			
								2			
								CEE-OUTLETS 4-POLE			
								16A	32A	63A	125A
								CEE-OUTLETS 5-POLE/400V			
								16A	32A	63A	125A
								1			
								JFB/RCD/RCBO			
								0,01A	0,03A	0,1A	
								JFB/RCD/RCBO			
								0,3A	0,5A	Variable	
								VIKT/WEIGHT			
								3,5 kg			

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

U 32BI/1/201



RITAD AV/DRAWN BY CG	DATUM/DATE 181228	NEXT SHEET	SHEET 3
SIGN	REVISION/ISSUE B	RITINGS NR./DRAWING EB10789	