


A B C D E F G H J K



ARTIKELNR /
ARTICLE NO.
EB13489

MÄRKSTRÖM /
CURRENT RATING
16 A

SPÄNNING /
VOLTAGE
400 V

MEASURING
EQUIPMENT
CURR-
TRAFO-
SPACE ENERGY-
METER-
SPACE

FAST ANSLUTNING /
FIXED CONNECTIONS
<125A >125A

CEE-OUTLETS
3-POLE
16A 32A 63A 125A

SCHUKO OUTLETS
16A
2

CEE-OUTLETS
4-POLE
16A 32A 63A 125A

CEE-OUTLETS
5-POLE/400V
16A 32A 63A 125A

JFB/RCD/RCBO
0,01A 0,03A 0,1A
1

JFB/RCD/RCBO
0,3A 0,5A Variable


VIKT/WEIGHT
5 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 16RXS//2-1 EN



RITAD AV/DRAWN BY CG	DATUM/DATE 190122	NEXT SHEET 2	SHEET 1
SIGN	REVISION/ISSUE B	RITNING NR./DRAWING EB13489	



ARTIKELNR / ARTICLE NO. EB13489	
MÄRKSTRÖM / CURRENT RATING 16	A
SPÄNNING / VOLTAGE 400	V
MEASURING EQUIPMENT	
CURR- TRAFO- SPACE	ENERGY- METER- SPACE
FAST ANSLUTNING / FIXED CONNECTIONS	
<125A	>125A
CEE-OUTLETS 3-POLE	
16A	32A 63A 125A
SCHUKO OUTLETS	
16A	
2	
CEE-OUTLETS 4-POLE	
16A	32A 63A 125A
CEE-OUTLETS 5-POLE/400V	
16A	32A 63A 125A
JFB/RCD/RCBO	
0,01A	0,03A 0,1A
1	
JFB/RCD/RCBO	
0,3A	0,5A Variable
VIKT/WEIGHT	
5 kg	

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 16RXS//2-1 EN



RITAD AV/DRAWN BY CG	DATUM/DATE 190122	NEXT SHEET 3	SHEET 2
SIGN	REVISION/ISSUE B	RITINGS NR./DRAWING EB13489	

A	B	C	D	E	F	G	H	J	K
PC.	Position	Description	Type	Manufacturer	Data	Article No.	E-number(SE)		ARTIKELNR / ARTICLE NO. EB13489
2	-	Förskruvning	M25	Rutab	Mässing		1476004		MÄRKSTRÖM/ CURRENT RATING 16 A
2		Kontramutter	M25	Rutab	Mässing		1476504		SPÄNNING/ VOLTAGE 400 V
1		Kit Uttagsplåt	XS	El-Björn AB	Rostfritt	K10165			MEASURING EQUIPMENT
1		Kit Svep	XS	El-Björn AB	Rostfritt	K10166			CURR- TRAFO- SPACE ENERGY- METER- SPACE
1	F01	MCB	iC60H	Schneider Electric	10kA, 1P, C 16A	A9F07116	2112130		FAST ANSLUTNING/ FIXED CONNECTIONS <125A >125A
1	JF01	RCD	iID	Schneider Electric	40A, 30mA, 4P, A	A9Z21440	2164955		CEE-OUTLETS 3-POLE 16A 32A 63A 125A
1	X00	Plint	EKS 525	Eldon AB	//25mm ²		2251130		SCHUKO OUTLETS 16A 2
2	X01	Schukouttag	Typ F	Mennekes	230V, 16A, IP54	11020EB			CEE-OUTLETS 4-POLE 16A 32A 63A 125A
1	X02	Uttag	416RU6	ABB	16A, 400V, IP44	2CMA192642R1000	2416633		CEE-OUTLETS 5-POLE/400V 16A 32A 63A 125A
									JFB/RCD/RCBO 0,01A 0,03A 0,1A 1
									JFB/RCD/RCBO 0,3A 0,5A Variable
									VIKT/WEIGHT 5 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 16RXS//2-1 EN



RITAD AV/DRAWN BY
CG

DATUM/DATE
190122

NEXT SHEET
3

SIGN

REVISION/ISSUE
B

RITINGS NR./DRAWING
EB13489