





A	B	C	D	E	F	G	H	J	K
---	---	---	---	---	---	---	---	---	---



ARTIKELNR /
ARTICLE NO.
EB13542

MÄRKSTRÖM /
CURRENT RATING
125 A

SPÄNNING /
VOLTAGE
400 V

MEASURING
EQUIPMENT

CURR- TRAFO- SPACE	ENERGY- METER- SPACE
--------------------------	----------------------------

FAST ANSLUTNING /
FIXED CONNECTIONS

<125A	>125A
-------	-------

CEE-OUTLETS
3-POLE

16A	32A	63A	125A
-----	-----	-----	------

SCHUKO OUTLETS

16A

4

CEE-OUTLETS
4-POLE

16A	32A	63A	125A
-----	-----	-----	------

CEE-OUTLETS
5-POLE/400V

16A	32A	63A	125A
2	2	1	

JFB/RCD/RCBO

0,01A	0,03A	0,1A
3		

JFB/RCD/RCBO

0,3A	0,5A	Variable
1		


VIKT/WEIGHT
25 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 125RL//4221-301 EN



RITAD AV/DRAWN BY CG	DATUM/DATE 180517	NEXT SHEET 2	SHEET 1
SIGN	REVISION/ISSUE A*	RITNING NR./DRAWING EB13542	




ARTIKELNR / ARTICLE NO. EB13542			
MÄRKSTRÖM / CURRENT RATING 125	A		
SPÄNNING / VOLTAGE 400	V		
MEASURING EQUIPMENT			
CURR- TRAF0- SPACE	ENERGY- METER- SPACE		
FAST ANSLUTNING/ FIXED CONNECTIONS			
<125A	>125A		
CEE-OUTLETS 3-POLE			
16A	32A	63A	125A
SCHUKO OUTLETS			
16A			
4			
CEE-OUTLETS 4-POLE			
16A	32A	63A	125A
2	2	1	
CEE-OUTLETS 5-POLE/400V			
16A	32A	63A	125A
2	2	1	
JFB/RCD/RCBO			
0,01A	0,03A	0,1A	
3			
JFB/RCD/RCBO			
0,3A	0,5A	Variable	
1			
VIKT/WEIGHT			
25 kg			

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 125RL//4221-301 EN



RITAD AV/DRAWN BY CG	DATUM/DATE 180517	NEXT SHEET 3	SHEET 2
SIGN	REVISION/ISSUE A*	RITINGS NR./DRAWING EB13542	



This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 125RL//4221-301 EN



RITAD AV/DRAWN BY CG	DATUM/DATE 180517	NEXT SHEET 4	SHEET 3
SIGN	REVISION/ISSUE A*	RITINGS NR./DRAWING EB13542	

A	B	C	D	E	F	G	H	J	K
PC.	Position	Description	Type	Manufacturer	Data	Article No.	E-number(SE)		ARTIKELNR / ARTICLE NO. EB13542
1	-	Kit Slep	L	EI-Björn AB	Rostfritt	K10158			MÄRKSTRÖM/ CURRENT RATING 125 A
1		Kit Uttagsplåt	L	EI-Björn AB	Rostfritt	K10157			SPÄNNING/ VOLTAGE 400 V
3	F01-F03	MCB	iC60H	Schneider Electric	10kA, 1P, C 16A	A9F07116	2112130		MEASURING EQUIPMENT
2	F04, F05	MCB	iC60H	Schneider Electric	10kA, 3P, C 16A	A9F07316	2112254		CURR- TRAFO- SPACE
2	F06, F07	RCBO	iC60N	Schneider Electric	6kA, 4P, C 32A, 30m	A9D67432	2165085		ENERGY- METER- SPACE
1	F08	MCB	iC60H	Schneider Electric	10kA, 3P, C 63A	A9F07363	2112265		FAST ANSLUTNING/ FIXED CONNECTIONS
1	JF01	RCD	iID	Schneider Electric	40A, 30mA, 4P, A	A9Z21440	2164955		<125A
1	JF08	RCD	iID	Schneider Electric	63A, 300mA, 4P, A	A9Z24463	2164974		>125A
3	X00	Universalklämma	KE 67	Ensto	AL/CU 2//16-95mm ²	KE 67	2673571		CEE-OUTLETS 3-POLE
1		Universalklämma	KE 67.2	Ensto	AL/CU 2//16-95mm ²	KE 67.2	2673572		16A 32A 63A 125A
1		Universalklämma	KE 67.3	Ensto	AL/CU 2//16-95mm ²	KE 67.3	2673573		SCHUKO OUTLETS
4	X01-X03	Schukouttag	Typ F	Mennekes	230V, 16A, IP54	11020EB			16A
2	X04, X05	Uttag	416RAU6	ABB	16A, 400V, IP44	2CMA193235R1000	2416650		4
2	X06, X07	Uttag	432RU6	ABB	32A, 400V, IP44	2CMA192658R1000	2416660		CEE-OUTLETS 4-POLE
1	X08	Uttag	463RU6	ABB	63A, 400V, IP44	2CMA192664R1000	2416680		16A 32A 63A 125A
									CEE-OUTLETS 5-POLE/400V
									16A 32A 63A 125A
									2 2 1
									JFB/RCD/RCBO
									0,01A 0,03A 0,1A
									3
									JFB/RCD/RCBO
									0,3A 0,5A Variable
									1
									VIKT/WEIGHT
									25 kg

This drawing is property of EI-Björn. May not be copied, shown or distributed without our written permission.

UF 125RL//4221-301 EN



RITAD AV/DRAWN BY CG	DATUM/DATE 180517	NEXT SHEET	SHEET 4
SIGN	REVISION/ISSUE A*	RITNING NR./DRAWING EB13542	