



This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

EBK 400 BCS



RITAD AV/DRAWN BY	DATUM/DATE	NEXT SHEET	SHEET
CG	170627	2	1
SIGN	REVISION/ISSUE	RITNING NR./DRAWING	
	A*	EB12869	

A	B	C	D	E	F	G	H	J	K
									ARTIKELNR / ARTICLE NO. <b>EB12869</b>
PC.	Position	Description	Type	Manufacturer	Data	Article No.	E-number(SE)		MÄRKSTRÖM/ CURRENT RATING <b>400</b> <b>A</b>
1	-	Beröringsskydd	EBK 400	El-Björn		257067			SPÄNNING/ VOLTAGE <b>400</b> <b>V</b>
2		L-Skydd	EBK	El-Björn		257070			MEASURING EQUIPMENT
1		Monteringsplåt	EBK 400	El-Björn		257906			CURR- TRAFO- SPACE     ENERGY- METER- SPACE
1		Beröringsskydd	Undre EBK 400	El-Björn		257068			FAST ANSLUTNING/ FIXED CONNECTIONS <b>&lt;125A</b> <b>&gt;125A</b>
1		Beröringsskydd	Övre EBK 400	El-Björn		257069			
1		Direktanslutning	DS-400	ABB	400A	83531			
1	Q01	MCCB	NSX 400N	Schneider Electric	50kA, 3P	LV432403			
1		Skyddsmodul	Micrologic 2.3	Schneider Electric	NSX, 3P	LV432081			
8	X01	Kabelklämma	95-240	Maxeta	AL/CU 95-240mm <sup>2</sup>	8349998			
2		Kabelklämma	10-95	Maxeta	AL/CU 10-95mm <sup>2</sup>	8349999			
									CEE-OUTLETS 3-POLE 16A    32A    63A    125A
									SCHUKO OUTLETS  16A
									CEE-OUTLETS 4-POLE 16A    32A    63A    125A
									CEE-OUTLETS 5-POLE/400V 16A    32A    63A    125A
									JFB/RCD/RCBO 0,01A    0,03A    0,1A
									JFB/RCD/RCBO 0,3A    0,5A    Variable
									VIKT/WEIGHT <b>20</b> <b>kg</b>

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

EBK 400 BCS



RITAD AV/DRAWN BY  
**CG**

SIGN

DATUM/DATE  
**170627**

REVISION/ISSUE  
**A\***

NEXT SHEET  
**3**

SHEET  
**2**

RIITINGS NR./DRAWING  
**EB12869**

A	B	C	D	E	F	G	H	J	K
									ARTIKELNR/ ARTICLE NO. <b>EB12869</b>
									MÄRKSTRÖM/ CURRENT RATING <b>400 A</b>
									SPÄNNING/ VOLTAGE <b>400 V</b>
									MEASURING EQUIPMENT CURR- TRAFO- SPACE   ENERGY- METER- SPACE
									FAST ANSLUTNING/ FIXED CONNECTIONS <125A   >125A
									CEE-OUTLETS 3-POLE 16A   32A   63A   125A
									SCHUKO OUTLETS 16A
									CEE-OUTLETS 4-POLE 16A   32A   63A   125A
									CEE-OUTLETS 5-POLE/400V 16A   32A   63A   125A
									JFB/RCD/RCBO 0,01A   0,03A   0,1A
									JFB/RCD/RCBO 0,3A   0,5A   Variable
									VIKT/WEIGHT 20 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

EBK 400 BCS



RITAD AV/DRAWN BY <b>CG</b>	DATUM/DATE <b>170627</b>	NEXT SHEET	SHEET <b>3</b>
SIGN	REVISION/ISSUE <b>A*</b>	RITNING NR./DRAWING <b>EB12869</b>	