



A B C D E F G H J K



ARTIKELNR / ARTICLE NO. E2467376	
MÄRKSTRÖM / CURRENT RATING 400 A	
SPÄNNING / VOLTAGE 400 V	
MEASURING EQUIPMENT	
CURR- TRAFO- SPACE	ENERGY- METER- SPACE
FAST ANSLUTNING / FIXED CONNECTIONS	
<125A	>125A 1
CEE-OUTLETS 3-POLE	
16A	32A 63A 125A
SCHUKO OUTLETS	
16A	
CEE-OUTLETS 4-POLE	
16A	32A 63A 125A
CEE-OUTLETS 5-POLE/400V	
16A	32A 63A 125A
JFB/RCD/RCBO	
0,01A	0,03A 0,1A
JFB/RCD/RCBO	
0,3A	0,5A Variable
VIKT/WEIGHT	
7,4 kg	

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

SLK 400



RITAD AV/DRAWN BY CG	DATUM/DATE 190128	NEXT SHEET 2	SHEET 1
SIGN	REVISION/ISSUE A*	RITNING NR./DRAWING E2467376	

A	B	C	D	E	F	G	H	J	K
PC.	Position	Description	Type	Manufacturer	Data	Article No.	E-number(SE)	ARTIKELNR / ARTICLE NO. E2467376	
1	Q01	Säkringslastfrånskiljare	SLK 400	El-Björn	400A, 3-P, 150mm		2467376	MÄRKSTRÖM / CURRENT RATING 400 A	
1	X01	Kabelklämma	95-240	Maxeta	AL/CU 95-240mm ²	8349998		SPÄNNING / VOLTAGE 400 V	
1		Kabelklämma	10-95	Maxeta	AL/CU 10-95mm ²	8349999		MEASURING EQUIPMENT	
								CURR-TRAFO-SPACE ENERGY-METER-SPACE	
								FAST ANSLUTNING / FIXED CONNECTIONS	
								<125A >125A 1	
								CEE-OUTLETS 3-POLE	
								16A 32A 63A 125A	
								SCHUKO OUTLETS	
								16A	
								CEE-OUTLETS 4-POLE	
								16A 32A 63A 125A	
								CEE-OUTLETS 5-POLE/400V	
								16A 32A 63A 125A	
								JFB/RCD/RCBO	
								0,01A 0,03A 0,1A	
								JFB/RCD/RCBO	
								0,3A 0,5A Variable	
								VIKT/WEIGHT	
								7,4 kg	

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

SLK 400



RITAD AV/DRAWN BY CG	DATUM/DATE 190128	NEXT SHEET 3	SHEET 2
SIGN	REVISION/ISSUE A*	RITINGS NR./DRAWING E2467376	

A	B	C	D	E	F	G	H	J	K
									ARTIKELNR/ ARTICLE NO. E2467376
									MÄRKSTRÖM/ CURRENT RATING 400 A
									SPÄNNING/ VOLTAGE 400 V
									MEASURING EQUIPMENT CURR- TRAFO- SPACE ENERGY- METER- SPACE
									FAST ANSLUTNING/ FIXED CONNECTIONS <125A >125A 1
									CEE-OUTLETS 3-POLE 16A 32A 63A 125A
									SCHUKO OUTLETS 16A
									CEE-OUTLETS 4-POLE 16A 32A 63A 125A
									CEE-OUTLETS 5-POLE/400V 16A 32A 63A 125A
									JFB/RCD/RCBO 0,01A 0,03A 0,1A
									JFB/RCD/RCBO 0,3A 0,5A Variable
									VIKT/WEIGHT 7,4 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

SLK 400



RITAD AV/DRAWN BY CG	DATUM/DATE 190128	NEXT SHEET	SHEET 3
SIGN	REVISION/ISSUE A*	RITNING NR./DRAWING E2467376	