


A B C D E F G H J K



ARTIKELNR/  
ARTICLE NO.  
**EB11041**

MÄRKSTRÖM/  
CURRENT RATING  
**32** **A**

MEASURING EQUIPMENT	
CURR-TRAFO-SPACE	ENERGY-METER-SPACE

FAST ANSLUTNING/ FIXED CONNECTIONS	
<125A	>125A

CEE-OUTLETS 3-POLE/230V			
16A	32A	63A	125A

SCHUKO OUTLETS 2-POLE/230V	
16A	

CEE-OUTLETS 5-POLE/400V			
16A	32A	63A	125A

JFB/RCCB		
<0,03A	>0,3A	>0,03A & <0,3A
<b>1</b>		

JFB/RCCB	
Variable	


VIKT/WEIGHT	
<b>21,5</b>	<b>kg</b>

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

Alfa-II 230-400// -1 EN LH IPX6



RITAD AV/DRAWN BY <b>CG</b>	DATUM/DATE <b>170515</b>	NEXT SHEET <b>2</b>	SHEET <b>1</b>
SIGN	REVISION/ISSUE <b>A*</b>	RITINGS NR./DRAWING <b>EB11041</b>	



ARTIKELNR /  
ARTICLE NO.  
**EB11041**

MÄRKSTRÖM /  
CURRENT RATING  
**32 A**

MEASURING EQUIPMENT	
CURR-TRAFO-SPACE	ENERGY-METER-SPACE

FAST ANSLUTNING / FIXED CONNECTIONS	
<125A	>125A

CEE-OUTLETS 3-POLE/230V			
16A	32A	63A	125A

SCHUKO OUTLETS 2-POLE/230V	
16A	

CEE-OUTLETS 5-POLE/400V			
16A	32A	63A	125A

JFB/RCCB		
<0,03A	>0,3A	>0,03A & <0,3A
<b>1</b>		

JFB/RCCB
Variable


VIKT/WEIGHT
<b>21,5 kg</b>

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

Alfa-II 230-400// -1 EN LH IPX6



RITAD AV/DRAWN BY <b>CG</b>	DATUM/DATE <b>170515</b>	NEXT SHEET <b>3</b>	SHEET <b>2</b>
SIGN	REVISION/ISSUE <b>A*</b>	RITINGS NR./DRAWING <b>EB11041</b>	



ARTIKELNR / ARTICLE NO. <b>EB11041</b>			
MÄRKSTRÖM / CURRENT RATING <b>32 A</b>			
MEASURING EQUIPMENT			
CURR- TRAFO- SPACE	ENERGY- METER- SPACE		
FAST ANSLUTNING/ FIXED CONNECTIONS			
<125A	>125A		
CEE-OUTLETS 3-POLE/230V			
16A	32A	63A	125A
SCHUKO OUTLETS 2-POLE/230V			
16A			
CEE-OUTLETS 5-POLE/400V			
16A	32A	63A	125A
JFB/RCCB			
<0,03A	>0,3A	>0,03A & <0,3A	
<b>1</b>			
JFB/RCCB Variable			
VIKT/WEIGHT			
<b>21,5 kg</b>			

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

Alfa-II 230-400// -1 EN LH IPX6



RITAD AV/DRAWN BY <b>CG</b>	DATUM/DATE <b>170515</b>	NEXT SHEET <b>4</b>	SHEET <b>3</b>
SIGN	REVISION/ISSUE <b>A*</b>	RITINGS NR./DRAWING <b>EB11041</b>	

A	B	C	D	E	F	G	H	J	K
PC.	Position	Description	Type	Manufacturer	Data	Article No.	E-number(SE)	ARTIKELNR/ ARTICLE NO.	
1	-	Alfa-II Stolpe	Standard	El-Björn	18mod, IPX6	H23391		EB11041	
								MÄRKSTRÖM/ CURRENT RATING	
2	.	Contact Plate	Tät	El-Björn		195027		32      A	
								MEASURING EQUIPMENT	
2	E01	Värmeelement	RC 016	Stego	8W, 230V	01602.0-00		CURR- TRAFO- SPACE      ENERGY- METER- SPACE	
1	F01	RCBO	PKPM2	Eaton	C 10A, 30mA	65883	2162430	FAST ANSLUTNING/ FIXED CONNECTIONS	
1	H00	LED Strip	AL-IEP2-NW	Agolux	4000-4500 Kelvin	2490353		<125A      >125A	
1	T00	LED Driver	SLT15-12VF-2	Agolux	12V DC, 1,25A, 15W	SLT15-12VF-2		CEE-OUTLETS 3-POLE/230V	
1	T01	Termostat	KTO 011	Stego	0-60° C	01146.9-00	2599040	16A    32A    63A    125A	
1	X00	Plint	KE 66	Ensto	AL/CU 2//6-50mm <sup>2</sup>		2673561	SCHUKO OUTLETS 2-POLE/230V	
1		Plint	KE 66.2	Ensto	AL/CU 2//6-50mm <sup>2</sup>		2673562	16A	
1		Plint	KE 66.3	Ensto	AL/CU 2//6-50mm <sup>2</sup>		2673563	CEE-OUTLETS 5-POLE/400V	
								16A    32A    63A    125A	
								JFB/RCCB	
								<0,03A    >0,3A    >0,03A &    <0,3A	
								1	
								JFB/RCCB	
								Variable	
								VIKT/WEIGHT	
								21,5    kg	

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

Alfa-II 230-400//1 EN LH IPX6



RITAD AV/DRAWN BY <b>CG</b>	DATUM/DATE <b>170515</b>	NEXT SHEET	SHEET <b>4</b>
SIGN	REVISION/ISSUE <b>A*</b>	RITINGS NR./DRAWING <b>EB11041</b>	