


A B C D E F G H J K



ARTIKELNR /  
ARTICLE NO.  
**EB11047**

MÄRKSTRÖM /  
CURRENT RATING  
**16 A**

SPÄNNING /  
VOLTAGE  
**230-400 V**

MEASURING  
EQUIPMENT  
CURR-  
TRAF0-  
SPACE ENERGY-  
METER-  
SPACE

FAST ANSLUTNING /  
FIXED CONNECTIONS  
<125A >125A

CEE-OUTLETS  
3-POLE  
16A 32A 63A 125A

SCHUKO OUTLETS  
16A

CEE-OUTLETS  
4-POLE  
16A 32A 63A 125A

CEE-OUTLETS  
5-POLE/400V  
16A 32A 63A 125A

JFB/RCD/RCBO  
0,01A 0,03A 0,1A

JFB/RCD/RCBO  
0,3A 0,5A Variable

VIKT/WEIGHT  
**21,5 kg**



This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

Alfa-II 230-400// L



RITAD AV/DRAWN BY <b>CG</b>	DATUM/DATE <b>190212</b>	NEXT SHEET <b>2</b>	SHEET <b>1</b>
SIGN	REVISION/ISSUE <b>A*</b>	RITNING NR./DRAWING <b>EB11047</b>	

A B C D E F G H J K



ARTIKELNR /  
ARTICLE NO.  
**EB11047**

MÄRKSTRÖM /  
CURRENT RATING  
**16 A**

SPÄNNING /  
VOLTAGE  
**230-400 V**

MEASURING  
EQUIPMENT  
CURR-  
TRAFO-  
SPACE ENERGY-  
METER-  
SPACE

FAST ANSLUTNING /  
FIXED CONNECTIONS  
<125A >125A

CEE-OUTLETS  
3-POLE  
16A 32A 63A 125A

SCHUKO OUTLETS  
16A

CEE-OUTLETS  
4-POLE  
16A 32A 63A 125A

CEE-OUTLETS  
5-POLE/400V  
16A 32A 63A 125A

JFB/RCD/RCBO  
0,01A 0,03A 0,1A

JFB/RCD/RCBO  
0,3A 0,5A Variable

VIKT/WEIGHT  
**21,5 kg**

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

Alfa-II 230-400// L



RITAD AV/DRAWN BY <b>CG</b>	DATUM/DATE <b>190212</b>	NEXT SHEET <b>3</b>	SHEET <b>2</b>
SIGN	REVISION/ISSUE <b>A*</b>	RITINGS NR./DRAWING <b>EB11047</b>	

A

B

C

D

E


F

G

H

J

K

ARTIKELNR/  
ARTICLE NO.

EB11047

MÄRKSTRÖM/  
CURRENT RATING

16 A

SPÄNNING/  
VOLTAGE

230-400 V

MEASURING  
EQUIPMENTCURR-  
TRAFO-  
SPACEENERGY-  
METER-  
SPACEFAST ANSLUTNING/  
FIXED CONNECTIONS

&lt;125A

&gt;125A

CEE-OUTLETS  
3-POLE

16A

32A

63A

125A

SCHUKO OUTLETS

16A

CEE-OUTLETS  
4-POLE

16A

32A

63A

125A

CEE-OUTLETS  
5-POLE/400V

16A

32A

63A

125A

JFB/RCD/RCBO

0,01A

0,03A

0,1A

JFB/RCD/RCBO

0,3A

0,5A

Variable

VIKT/WEIGHT

21,5 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

Alfa-II 230-400// L

**EL-BJÖRN**  
www.elbjorn.com

RITAD AV/DRAWN BY  
CGDATUM/DATE  
190212

NEXT SHEET

SHEET  
3

SIGN

REVISION/ISSUE  
A\*RITNING NR./DRAWING  
EB11047