

ARTIKELNR /
ARTICLE NO.
EB10562

MÄRKSTRÖM /
CURRENT RATING
A

MEASURING
EQUIPMENT

CURR- TRAFO- SPACE	ENERGY- METER- SPACE
--------------------------	----------------------------

FAST ANSLUTNING /
FIXED CONNECTIONS

<125A	>125A
-------	-------

CEE-OUTLETS
3-POLE/230V

16A	32A	63A	125A
-----	-----	-----	------

SCHUKO OUTLETS
2-POLE/230V
16A

CEE-OUTLETS
5-POLE/400V

16A	32A	63A	125A
-----	-----	-----	------

JFB/RCCB

<0,03A	>0,3A	>0,03A & <0,3A
--------	-------	----------------------

JFB/RCCB
Variable


VIKT/WEIGHT
21,5 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

Alfa-II 230-400// FP L



RITAD AV/DRAWN BY CG	DATUM/DATE 170420	NEXT SHEET 2	SHEET 1
SIGN	REVISION/ISSUE A*	RITINGS NR./DRAWING EB10562	



ARTIKELNR /
ARTICLE NO.
EB10562

MÄRKSTRÖM /
CURRENT RATING
A

MEASURING
EQUIPMENT

CURR- TRAFO- SPACE	ENERGY- METER- SPACE
--------------------------	----------------------------

FAST ANSLUTNING/
FIXED CONNECTIONS

<125A	>125A
-------	-------

CEE-OUTLETS
3-POLE/230V

16A	32A	63A	125A
-----	-----	-----	------

SCHUKO OUTLETS
2-POLE/230V
16A

CEE-OUTLETS
5-POLE/400V

16A	32A	63A	125A
-----	-----	-----	------

JFB/RCCB

<0,03A	>0,3A	>0,03A & <0,3A
--------	-------	----------------------

JFB/RCCB
Variable


VIKT/WEIGHT
21,5 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

Alfa-II 230-400// FP L



RITAD AV/DRAWN BY CG	DATUM/DATE 170420	NEXT SHEET 3	SHEET 2
SIGN	REVISION/ISSUE A*	RITINGS NR./DRAWING EB10562	



This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

Alfa-II 230-400// FP L



RITAD AV/DRAWN BY CG	DATUM/DATE 170420	NEXT SHEET 4	SHEET 3
SIGN	REVISION/ISSUE A*	RITINGS NR./DRAWING EB10562	

A	B	C	D	E	F	G	H	J	K
PC.	Position	Description	Type	Manufacturer	Data	Article No.	E-number(SE)		ARTIKELNR/ ARTICLE NO. EB10562
1	-	Stolpe	Standard 18Mod	EI-Björn AB	IPX6	H23391			MÄRKSTRÖM/ CURRENT RATING A
1	H00	LED Strips	AL-IEP2-NW	Agolux	0-63A	AL-IEP2-NW			MEASURING EQUIPMENT
1	T00	LED Driver	SLT15-12VFC-1	Agolux	12V	SLT15-12VFC-1			CURR- TRAFO- SPACE
2	X01	Radplint	Grå	Schneider Electric	4mm ²	NSYTRV42	2916254		ENERGY- METER- SPACE
2		Radplint	Blå	Schneider Electric	4mm ²	NSYTRV42BL	2916255		FAST ANSLUTNING/ FIXED CONNECTIONS
1		Radplint	Gul/Grön	Schneider Electric	4mm ²	NSYTRV42PE	2916257		<125A >125A
									CEE-OUTLETS 3-POLE/230V 16A 32A 63A 125A
									SCHUKO OUTLETS 2-POLE/230V 16A
									CEE-OUTLETS 5-POLE/400V 16A 32A 63A 125A
									JFB/RCCB <0,03A >0,3A >0,03A & <0,3A
									JFB/RCCB Variable
									VIKT/WEIGHT 21,5 kg

This drawing is property of EI-Björn. May not be copied, shown or distributed without our written permission.

Alfa-II 230-400// FP L



RITAD AV/DRAWN BY CG	DATUM/DATE 170420	NEXT SHEET	SHEET 4
SIGN	REVISION/ISSUE A*	RITINGS NR./DRAWING EB10562	