


A B C D E F G H J K



ARTIKELNR /
ARTICLE NO.
EB14491

MÄRKSTRÖM /
CURRENT RATING
160 A

SPÄNNING /
VOLTAGE
400 V

MEASURING EQUIPMENT	
CURR-TRAFO-SPACE	ENERGY-METER-SPACE
1	1

FAST ANSLUTNING / FIXED CONNECTIONS	
<125A	>125A

CEE-OUTLETS 3-POLE			
16A	32A	63A	125A

SCHUKO OUTLETS	
16A	

CEE-OUTLETS 4-POLE			
16A	32A	63A	125A

CEE-OUTLETS 5-POLE/400V			
16A	32A	63A	125A

JFB/RCD/RCBO		
0,01A	0,03A	0,1A

JFB/RCD/RCBO		
0,3A	0,5A	Variable


VIKT/WEIGHT
180 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

BCS 900-Z160E



RITAD AV/DRAWN BY CG	DATUM/DATE 190617	NEXT SHEET 2	SHEET 1
SIGN	REVISION/ISSUE A*	RITINGS NR./DRAWING EB14491	



This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

BCS 900-Z160E



RITAD AV/DRAWN BY CG	DATUM/DATE 190617	NEXT SHEET 3	SHEET 2
SIGN	REVISION/ISSUE A*	RITINGS NR./DRAWING EB14491	

ARTIKELNR./ ARTICLE NO. EB14491			
MÄRKSTRÖM/ CURRENT RATING 160	A		
SPÄNNING/ VOLTAGE 400	V		
MEASURING EQUIPMENT			
CURR- TRAFO- SPACE 1	ENERGY- METER- SPACE 1		
FAST ANSLUTNING/ FIXED CONNECTIONS			
<125A	>125A		
CEE-OUTLETS 3-POLE			
16A	32A	63A	125A
SCHUKO OUTLETS			
16A			
CEE-OUTLETS 4-POLE			
16A	32A	63A	125A
CEE-OUTLETS 5-POLE/400V			
16A	32A	63A	125A
JFB/RCD/RCBO			
0,01A	0,03A	0,1A	
JFB/RCD/RCBO			
0,3A	0,5A	Variable	
VIKT/WEIGHT			
180			kg

